

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : Klübersynth GH 6-460

Article-No. : 012163

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricating oil

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Nordic A/S  
Vasagatan 36  
111 20 Stockholm  
Sweden  
+46-8-59098600  
Fax: +46-8-59098601  
klueber.se@sk.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone num-  
ber : 112 - ask for poison information  
+49 89 7876 700 (24 hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-  
egory 3 H412: Harmful to aquatic life with long lasting ef-  
fects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : polyalkylene glycol oil

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
diphenyl tolyl phosphate	26444-49-5 247-693-8	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
triphenyl phosphate	115-86-6 204-112-2	Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 1/1	>= 0,25 - < 1
bis(methylphenyl) phenyl phosphate	26446-73-1 247-708-8	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

- Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version	Revision Date:	Date of last issue: 2019-06-04	Print Date: 2020-02-03
1.8	2020-02-03	Date of first issue: 2015-06-16	

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid inhalation of vapour or mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine	Workers	Inhalation	Long-term systemic effects	4,11 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1,17 mg/kg bw/day
pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)	Workers	Inhalation	Long-term systemic effects	9,5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	27 mg/kg
triphenyl phosphate	Workers	Inhalation	Long-term systemic effects	5,2 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5,55 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine	Fresh water	0,00002 µg/l
	Marine water	0,000002 µg/l
	Fresh water sediment	0,00467 mg/kg
	Marine sediment	0,000467 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8      Revision Date: 2020-02-03      Date of last issue: 2019-06-04      Print Date: 2020-02-03  
Date of first issue: 2015-06-16

	Soil	0,000934 mg/kg
pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)	Fresh water	0,086 mg/l
	Marine water	0,0086 mg/l
triphenyl phosphate	Fresh water	0,004 mg/l
	Intermittent use/release	0,003 mg/l
	Marine water	0,0004 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1,103 mg/kg dry weight (d.w.)
	Marine sediment	0,11 mg/kg dry weight (d.w.)
	Soil	0,218 mg/kg dry weight (d.w.)
	Oral	16,667 mg/kg

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020- 02-03
----------------	------------------------------	---	----------------------------

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 250 °C Method: open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	1,07 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version	Revision Date:	Date of last issue: 2019-06-04	Print Date: 2020-
1.8	2020-02-03	Date of first issue: 2015-06-16	02-03

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : 460 mm<sup>2</sup>/s (40 °C)  
Explosive properties : Not explosive  
Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available  
Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Acute dermal toxicity : Remarks: This information is not available.

### Components:

#### **diphenyl tolyl phosphate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

#### **triphenyl phosphate:**

Acute oral toxicity : LD50 (Rat): > 20.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg  
Method: OECD Test Guideline 402

#### **bis(methylphenyl) phenyl phosphate:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

### **Skin corrosion/irritation**

#### Product:

Remarks : This information is not available.

### Components:

#### **diphenyl tolyl phosphate:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

#### **triphenyl phosphate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **bis(methylphenyl) phenyl phosphate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Assessment : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### diphenyl tolyl phosphate:

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

##### triphenyl phosphate:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

##### bis(methylphenyl) phenyl phosphate:

Assessment : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### diphenyl tolyl phosphate:

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### triphenyl phosphate:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

##### bis(methylphenyl) phenyl phosphate:

Result : Does not cause skin sensitisation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### triphenyl phosphate:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### triphenyl phosphate:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### triphenyl phosphate:

Effects on foetal development : Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL:  $\geq$  200 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  200 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  200 mg/kg body weight  
Embryo-foetal toxicity: NOAEL:  $\geq$  200 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### triphenyl phosphate:

Species : Rat  
NOAEL : 105 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 408

Species : Rabbit  
NOAEL : 1.000 mg/kg  
Application Route : Dermal

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### triphenyl phosphate:

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

#### Components:

##### diphenyl tolyl phosphate:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

- Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available
- Toxicity to algae/aquatic plants : Remarks: No data available
- Toxicity to microorganisms : Remarks: No data available

##### Components:

###### **diphenyl tolyl phosphate:**

- Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 1,3 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,55 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,12 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

##### **Ecotoxicology Assessment**

- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

###### **triphenyl phosphate:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,36 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0,25 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Exposure time: 96 h  
Method: OECD Test Guideline 201

EL10 (Pseudokirchneriella subcapitata (green algae)): 0,25 mg/l

Exposure time: 96 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (activated sludge): 100 mg/l  
Exposure time: 28 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,037 mg/l  
Exposure time: 30 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,254 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### **bis(methylphenyl) phenyl phosphate:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 1,3 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,27 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria): > 10.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 0,31 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,12 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.  
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **diphenyl tolyl phosphate:**

Biodegradability : Result: rapidly biodegradable

##### **triphenyl phosphate:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 83 - 94 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **diphenyl tolyl phosphate:**

Bioaccumulation : Bioconcentration factor (BCF): 220

Partition coefficient: n-octanol/water : log Pow: 4,5

##### **triphenyl phosphate:**

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)  
Exposure time: 18 d  
Concentration: 0,01 mg/l  
Bioconcentration factor (BCF): 144

Partition coefficient: n- : log Pow: 4,6 (20 °C)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

octanol/water

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

#### Components:

##### **diphenyl tolyl phosphate:**

Distribution among environmental compartments : Adsorption/Soil Medium: Water  
Koc: 5560

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### **diphenyl tolyl phosphate:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version 1.8	Revision Date: 2020-02-03	Date of last issue: 2019-06-04 Date of first issue: 2015-06-16	Print Date: 2020-02-03
----------------	------------------------------	---	------------------------

Remarks : Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,06 %

#### Other regulations:

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

#### 15.2 Chemical safety assessment

This information is not available.

### SECTION 16: Other information

#### Full text of H-Statements

- H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE

**KLÜBER**  
LUBRICATION

## Klübersynth GH 6-460

Version	Revision Date:	Date of last issue: 2019-06-04	Print Date: 2020-
1.8	2020-02-03	Date of first issue: 2015-06-16	02-03

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

This safety data sheet applies only to products originally packed and labelled by KLÜBER LUBRICATION. The information contained therein may not be reproduced or modified without the express written permission of KLÜBER LUBRICATION. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of KLÜBER LUBRICATION. KLÜBER LUBRICATION provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, em-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE



## Klübersynth GH 6-460

Version	Revision Date:	Date of last issue: 2019-06-04	Print Date: 2020-
1.8	2020-02-03	Date of first issue: 2015-06-16	02-03

---

employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of KLÜBER LUBRICATION.