

Page 1/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: VIKING HD 10 W-30

10 W-30

· Article number:

0781 309 0007, 0781 309 0008, 0781 309 0009, 0781 309 0010, 0781 309 0016, 0781 309 1000, 0781 309 1001, 0781 309 1002, 0781 309 1003, 0781 309 1004

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

- · Product category PC24 Lubricants, greases, release products
- · Process category PROC18 General greasing /lubrication at high kinetic energy conditions
- · Technical function Lubricating agent
- · Application of the substance / the mixture Motor Oil
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VIKING GmbH Hans Peter Stihl-Straße 5 A-6336 Langkampfen/Kufstein Tel: +43(0)5372-6972-298 Fax: +43(0)5372-61183-298 Email: information @viking.at ANDREAS STIHL AG & Co. KG
Badstraße 115
D-71336 Waiblingen
Tel.: +49(0)7151-26-3237
Fax: +49(0)7151-26-8-3237
Email: info @stihl.com

Informing department:

Produktmanagement VIKING GmbH Tel.: +43(0) 5372-6972-338 Produktmanagement Forsttechnik Tel.: +49(0)7151-26-3237 Fax: +49(0)7151-26-832337

· 1.4 Emergency telephone number:

+43(0) 5372-6972-338 (09:00 - 17:00)

Information for transport: Tel.: +49-621-60-43333 Fax: +49-621-60-92664

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 1)

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mineral oil emulsive preparation of product-specific addition agents.
- · Dangerous components: Void
- · Additional information Highly refined mineral oil (IP 346 DMSO < 3%)

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Generally the product does not irritate the skin.

Instantly wash with water and soap and rinse thoroughly.

· After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Do not induce vomiting.

Rinse mouth.

Give plenty of water to drink in small sips.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

· Additional information

Use water to keep fire exposed containers cool.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 2)

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.

Should larger amounts of liquid run out stem it and dispose it of.

Remove from the surface of water (e.g. skim or vacuum off)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

• 6.4 Reference to other sections See Section 13 for information on disposal.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Avoid the formation of oil haze.

Avoid contact with eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:

Keep away from heat and direct sunlight.

Store in a well-ventilated place.

Prevent any penetration into the ground.

Keep container tightly closed and store upright to prevent any run out of product.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Must be stored in a collecting room.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Do not carry cleaning cloths impregnated with the product in trouser pockets.

Be sure to clean skin thoroughly after work and before breaks.

Do not eat, drink or smoke while working.

- · Breathing equipment: Use breathing protection only when aerosol or mist is formed.
- · Protection of hands:

Oil resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

In case of a layer thickness of 0.4 mm the penetration time is longer than 480 minutes.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR

(Contd. on page 4)

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 3)

· Eye protection: Safety glasses recommended during refilling.

· Body protection: Protective work clothing.

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Yellow-brown
Odour: Mineral-oil-like

· Change in condition

Melting point/freezing point:

Initial boiling point and boiling range: Not determined

Pour point:

Not determined

- Not determined

- -30 °C

Flash point: >210 °C ((DIN EN ISO 2592))
 Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.
 Vapour pressure: Not determined.

• Density at 20 °C 0.87 g/cm³ (DIN

**Density at 20 °C** 0.87 g/cm³ (DIN EN ISO 12185)

· Solubility in / Miscibility with Water:

Water: Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic:Not determined.kinematic:Not determined.

· Solvent content:

VOC (EC) 0.00 %

Solids content: 2.3 %

• **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

GB

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 4)

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation

Longer or repeated contact with the product reduces the natural readipogenesis of the skin and results in the desiccation of the skin. That product can be absorbed via the skin.

- · Serious eye damage/irritation Splashes can cause temporary eye irritation.
- Respiratory or skin sensitisation

Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is biodegradable.
- · Behaviour in environmental systems:
- · Components:

A product that has flown out can lead to the formation of a film on the water surface which reduces the oxygen exchange and results in the organisms dying-off.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil only to offically authorized collectors.

(Contd. on page 6)

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 5)

The waste code numbers mentioned are recommendations based on the probable use of the product.

#### · European waste catalogue

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

- · Uncleaned packagings:
- Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packaging may be reused or recycled after cleaning.

· 14.1 UN-Number · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anr of Marpol and the IBC Code	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the abov specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Department issuing data specification sheet:

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungsund Prüfgesellschaft mbH, Phone: +49 5066 900990.

(Contd. on page 7)

Printing date 22.02.2018 Version number 6 Revision: 22.02.2018

Trade name: VIKING HD 10 W-30

10 W-30

(Contd. of page 6)

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.